SAFETY DATA SHEET



Based upon Regulation (EC) No. 1907/2006, as amended by Regulation (EC) No. 453/2010

BIKE7 DEGREASE

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier:

Product name : BIKE7 DEGREASE Registration number REACH : Not applicable (mixture)

Product type REACH : Mixture

1.2 Relevant identified uses of the substance or mixture and uses advised against:

1.2.1 Relevant identified uses

Cleansing product

Detergent according to Regulation (EC) No 648/2004

1.2.2 Uses advised against

No uses advised against known

1.3 Details of the supplier of the safety data sheet:

Supplier of the safety data sheet

Novatech International Industrielaan 5B B-2250 Olen

2 +32 14 85 97 37 **4** +32 14 85 97 38 info@tec7.be

Manufacturer of the product

Novatech International Industrielaan 5B B-2250 Olen **3** +32 14 85 97 37 +32 14 85 97 38 info@tec7.be

1.4 Emergency telephone number:

24h/24h (Telephone advice: English, French, German, Dutch): +32 14 58 45 45 (BIG)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture:

2.1.1 Classification according to Regulation EC No 1272/2008

Classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

| Class | Category | Hazard statements |
|-----------------|------------|----------------------------------------------------------|
| Aerosol | category 1 | H222: Extremely flammable aerosol. |
| Aerosol | category 1 | H229: Pressurised container: May burst if heated. |
| STOT SE | category 3 | H336: May cause drowsiness or dizziness. |
| Aquatic Chronic | category 3 | H412: Harmful to aquatic life with long lasting effects. |

2.1.2 Classification according to Directive 67/548/EEC-1999/45/EC

Classified as dangerous in accordance with the criteria of Directives 67/548/EEC and 1999/45/EC

F+; R12 - Extremely flammable.

R66 - Repeated exposure may cause skin dryness or cracking.

R67 - Vapours may cause drowsiness and dizziness.

R52-53 - Harmful to aquatic organisms. May cause long-term adverse effects in the aquatic environment.

2.2 Label elements:

Labelling according to Regulation EC No 1272/2008 (CLP)

Created by: Brandweerinformatiecentrum voor gevaarlijke stoffen vzw (BIG)

Technische Schoolstraat 43 A, B-2440 Geel

http://www.big.be

© BIG vzw

Reason for revision: 3.2; 8.2.2 Revision number: 0301

Publication date: 2010-07-09 Date of revision: 2014-11-26

Product number: 49027





Contains: hydrocarbons, C9-10, n-alkanes, isoalkanes, cyclics, < 2% aromatics.

Signal word Danger

H-statements

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

H336 May cause drowsiness or dizziness.

H412 Harmful to aquatic life with long lasting effects.

P-statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P261 Avoid breathing spray.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P410 + P412 Protect from sunlight. Do no expose to temperatures exceeding 50 °C/ 122°F.

Supplemental information

EUH066 Repeated exposure may cause skin dryness or cracking.

2.3 Other hazards:

CLP

May be ignited by sparks

Gas/vapour spreads at floor level: ignition hazard Aerosol may explode under the effect of heat

SECTION 3: Composition/information on ingredients

3.1 Substances:

Not applicable

3.2 Mixtures:

| | CAS No EC No | Conc (C) | Classification according to DSD/DPD | Classification according to CLP | Note | Remark |
|--------------------------------------------------------------------------------------------|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|---------------------------------------------------------------------------------------|------------|------------|
| hydrocarbons, C9-10, n-alkanes, isoalkanes, cyclics, < 2% aromatics 01-2119471843-32 | | | Xn; R65 R52-53 | Flam. Liq. 3; H226 Asp. Tox. 1; H304 STOT SE 3; H336 Aquatic Chronic 3; H412 | (1)(10) | UVCB |
| butane 01-2119474691-32 | | 10% <c<25%< td=""><td></td><td>Flam. Gas 1; H220 Press. Gas - Liquefied gas; H280</td><td>(1)(2)(10)</td><td>Propellant</td></c<25%<> | | Flam. Gas 1; H220 Press. Gas - Liquefied gas; H280 | (1)(2)(10) | Propellant |
| propane 01-2119486944-21 | | 2.5% <c<10%< td=""><td></td><td>Flam. Gas 1; H220 Press. Gas - Liquefied gas; H280</td><td>(1)(2)(10)</td><td>Propellant</td></c<10%<> | | Flam. Gas 1; H220 Press. Gas - Liquefied gas; H280 | (1)(2)(10) | Propellant |

⁽¹⁾ For R-phrases and H-statements in full: see heading 16

SECTION 4: First aid measures

4.1 Description of first aid measures:

General:

If you feel unwell, seek medical advice.

After inhalation:

 $Remove\ the\ victim\ into\ fresh\ air.\ Respiratory\ problems:\ consult\ a\ doctor/medical\ service.$

After skin contact:

Wash immediately with lots of water. Take victim to a doctor if irritation persists.

After eye contact:

Rinse with water. Take victim to an ophthalmologist if irritation persists.

After ingestion:

Reason for revision: 3.2; 8.2.2 Publication date: 2010-07-09

Date of revision: 2014-11-26

Revision number: 0301 Product number: 49027 2 / 12

⁽²⁾ Substance with a Community workplace exposure limit

⁽¹⁰⁾ Subject to restrictions of Annex XVII of Regulation (EC) No. 1907/2006

Rinse mouth with water. Consult a doctor/medical service if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed:

4.2.1 Acute symptoms

After inhalation:

EXPOSURE TO HIGH CONCENTRATIONS: Central nervous system depression. Narcosis.

After skin contact:

ON CONTINUOUS EXPOSURE/CONTACT: Dry skin. Cracking of the skin.

After eye contact:

No effects known.

After ingestion:

No effects known.

4.2.2 Delayed symptoms

No effects known.

4.3 Indication of any immediate medical attention and special treatment needed:

If applicable and available it will be listed below.

SECTION 5: Firefighting measures

5.1 Extinguishing media:

5.1.1 Suitable extinguishing media:

Water spray. Polyvalent foam. BC powder. Carbon dioxide.

5.1.2 Unsuitable extinguishing media:

No unsuitable extinguishing media known.

5.2 Special hazards arising from the substance or mixture:

Upon combustion: CO and CO2 are formed.

5.3 Advice for firefighters:

5.3.1 Instructions:

If exposed to fire cool the closed containers by spraying with water. Physical explosion risk: extinguish/cool from behind cover. Do not move the load if exposed to heat. After cooling: persistant risk of physical explosion. Take account of environmentally hazardous firefighting water. Use water moderately and if possible collect or contain it.

5.3.2 Special protective equipment for fire-fighters:

Gloves. Protective clothing. Heat/fire exposure: compressed air/oxygen apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Stop engines and no smoking. No naked flames or sparks. Spark- and explosion proof appliances and lighting equipment.

6.1.1 Protective equipment for non-emergency personnel

See heading 8.2

6.1.2 Protective equipment for emergency responders

Gloves. Protective clothing.

Suitable protective clothing

See heading 8.2

6.2 Environmental precautions:

Dam up the liquid spill.

6.3 Methods and material for containment and cleaning up:

Take up liquid spill into absorbent material, e.g.: dry sand/earth. Scoop absorbed substance into closing containers. Carefully collect the spill/leftovers. Clean contaminated surfaces with an excess of water. Take collected spill to manufacturer/competent authority. Wash clothing and equipment after handling.

6.4 Reference to other sections:

See heading 13.

SECTION 7: Handling and storage

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

7.1 Precautions for safe handling:

Use spark-/explosionproof appliances and lighting system. Keep away from naked flames/heat. Keep away from ignition sources/sparks. Take precautions against electrostatic charges. Gas/vapour heavier than air at 20°C. Observe normal hygiene standards. Remove contaminated clothing immediately.

7.2 Conditions for safe storage, including any incompatibilities:

Reason for revision: 3.2; 8.2.2 Publication date: 2010-07-09

Date of revision: 2014-11-26

Revision number: 0301 Product number: 49027 3 / 12

7.2.1 Safe storage requirements:

Storage temperature: < 50 °C. Store in a cool area. Keep out of direct sunlight. Ventilation at floor level. Fireproof storeroom. Meet the legal requirements.

7.2.2 Keep away from:

Heat sources, ignition sources.

7.2.3 Suitable packaging material:

Aerosol

7.2.4 Non suitable packaging material:

No data available

7.3 Specific end use(s):

If applicable and available, exposure scenarios are attached in annex. See information supplied by the manufacturer.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters:

8.1.1 Occupational exposure

a) Occupational exposure limit values

If limit values are applicable and available these will be listed below.

The Netherlands

| ехр | me-weighted average exposure limit 8 h (Private occupational xposure limit value) | 592 ppm |
|-----|--------------------------------------------------------------------------------------|------------------------|
| | me-weighted average exposure limit 8 h (Private occupational xposure limit value) | 1430 mg/m ³ |

Belgium

| Hydrocarbures aliphatiques sous forme gazeuse : (Alcanes C1- | Time-weighted average exposure limit 8 h | 1000 ppm |
|--------------------------------------------------------------|------------------------------------------|----------|
| C4) | | |

USA (TLV-ACGIH)

| Butane, all isomers | Time-weighted average exposure limit 8 h (TLV - Adopted Value) | 1000 ppm |
|---------------------|----------------------------------------------------------------|----------|
| | | |

Germany

| Time-weighted average exposure limit 8 h (TRGS 900) | 1000 ppm |
|-----------------------------------------------------|---------------------------------------------------------------------------------------------------------|
| Time-weighted average exposure limit 8 h (TRGS 900) | 2400 mg/m³ |
| Time-weighted average exposure limit 8 h (TRGS 900) | 1000 ppm |
| Time-weighted average exposure limit 8 h (TRGS 900) | 1800 mg/m³ |
| | Time-weighted average exposure limit 8 h (TRGS 900) Time-weighted average exposure limit 8 h (TRGS 900) |

France

| n-Butane | Time-weighted average exposure limit 8 h (VL: Valeur non | 800 ppm |
|----------|----------------------------------------------------------|------------|
| | réglementaire indicative) | |
| | Time-weighted average exposure limit 8 h (VL: Valeur non | 1900 mg/m³ |
| | réglementaire indicative) | |

UK

| Time-weighted average exposure limit 8 h (Workplace exposure limit (EH40/2005)) | 600 ppm |
|---------------------------------------------------------------------------------|------------|
| Time-weighted average exposure limit 8 h (Workplace exposure limit (EH40/2005)) | 1450 mg/m³ |
| Short time value (Workplace exposure limit (EH40/2005)) | 750 ppm |
| Short time value (Workplace exposure limit (EH40/2005)) | 1810 mg/m³ |

b) National biological limit values

If limit values are applicable and available these will be listed below.

8.1.2 Sampling methods

If applicable and available it will be listed below.

8.1.3 Applicable limit values when using the substance or mixture as intended

If limit values are applicable and available these will be listed below.

8.1.4 DNEL/PNEC values

If applicable and available it will be listed below.

8.1.5 Control banding

If applicable and available it will be listed below.

8.2 Exposure controls:

Reason for revision: 3.2; 8.2.2 Publication date: 2010-07-09

Date of revision: 2014-11-26

Revision number: 0301 Product number: 49027 4 / 12

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

8.2.1 Appropriate engineering controls

Use spark-/explosionproof appliances and lighting system. Keep away from naked flames/heat. Keep away from ignition sources/sparks. Take precautions against electrostatic charges. Measure the concentration in the air regularly.

8.2.2 Individual protection measures, such as personal protective equipment

Observe normal hygiene standards. Do not eat, drink or smoke during work.

a) Respiratory protection:

Wear gas mask with filter type A if conc. in air > exposure limit.

b) Hand protection:

Gloves.

| Materials | Breakthrough time | Thickness |
|----------------|-------------------|-----------|
| nitrile rubber | | 0.35 mm |

c) Eye protection:

Protective goggles.

d) Skin protection:

Head/neck protection. Protective clothing.

8.2.3 Environmental exposure controls:

See headings 6.2, 6.3 and 13

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties:

| Physical form | Aerosol |
|---------------------------|--------------------------------------------------------|
| Odour | Characteristic odour |
| Odour threshold | No data available |
| Colour | No data available on colour |
| Particle size | Not applicable |
| Explosion limits | 0.6 - 9.5 vol % |
| Flammability | Extremely flammable aerosol. |
| Log Kow | Not applicable (mixture) |
| Dynamic viscosity | 1 mPa.s ; 20 °C |
| Kinematic viscosity | 1 mm ² /s ; 20 °C |
| Melting point | No data available |
| Boiling point | 130 - 166 °C |
| Flash point | 24 °C |
| Evaporation rate | 0.35 ; butyl acetate |
| Relative vapour density | >1 |
| Vapour pressure | 8530 hPa ; 20 °C |
| Solubility | water ; insoluble |
| Relative density | 0.764 ; 20 °C |
| Decomposition temperature | No data available |
| Auto-ignition temperature | 200 °C |
| Explosive properties | No chemical group associated with explosive properties |
| Oxidising properties | No chemical group associated with oxidising properties |
| рН | No data available |

9.2 Other information:

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity:

May be ignited by sparks. Gas/vapour spreads at floor level: ignition hazard.

10.2 Chemical stability:

No data available.

10.3 Possibility of hazardous reactions:

No data available.

10.4 Conditions to avoid:

Use spark-/explosionproof appliances and lighting system. Keep away from naked flames/heat. Keep away from ignition sources/sparks. Take precautions against electrostatic charges.

Reason for revision: 3.2; 8.2.2 Publication date: 2010-07-09

Date of revision: 2014-11-26

Revision number: 0301 Product number: 49027 5 / 12

10.5 Incompatible materials:

No data available.

10.6 Hazardous decomposition products:

Upon combustion: CO and CO2 are formed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects:

11.1.1 Test results

Acute toxicity

BIKE7 DEGREASE

No (test)data on the mixture available

hydrocarbons, C9-10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

| Route of exposure | Parameter | Method | Value | Exposure time | | Value determination | Remark |
|----------------------|-----------|---------------------------|-----------------|---------------|-------------------------|------------------------|--------|
| Oral | LD50 | OECD 401 | >5000 mg/kg bw | | Rat (male/female) | Read-across | |
| Oral | LD50 | OECD 401 | >15000 mg/kg bw | | Rat (male/female) | Read-across | |
| Dermal | LD50 | Equivalent to OECD 402 | >3160 mg/kg bw | 24 h | Rabbit (male/female) | Read-across | |
| Inhalation (vapours) | LC50 | Equivalent to OECD 403 | >5000 mg/m³ air | 8 h | Rat (male) | Read-across | |

Judgement is based on the relevant ingredients

Conclusion

Not classified for acute toxicity

Corrosion/irritation

BIKE7 DEGREASE

No (test)data on the mixture available

hydrocarbons, C9-10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

| Route of exposure | Result | Method | Exposure time | Time point | | Value determination | Remark |
|-------------------|--------|---------------------------|---------------|-----------------------------|--------|------------------------|--------|
| Eye | | Equivalent to OECD 405 | | 1; 24; 48; 72; 168 hours | Rabbit | Read-across | |
| Skin | | Equivalent to OECD 404 | 4 h | 24; 48; 72 hours | Rabbit | Read-across | |

Judgement is based on the relevant ingredients

Conclusion

Not classified as irritating to the skin

Not classified as irritating to the eyes

Respiratory or skin sensitisation

BIKE7 DEGREASE

No (test)data on the mixture available

hydrocarbons, C9-10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

| Route of exposure | Result | Method | • | Observation time point | Species | Value determination | Remark |
|-------------------|--------|---------------------------|---|------------------------|-----------------------------|---------------------|--------|
| Skin | | Equivalent to OECD 406 | | ' | Guinea pig (male/female) | Read-across | |

Judgement is based on the relevant ingredients

Conclusion

Not classified as sensitizing for skin

Specific target organ toxicity

BIKE7 DEGREASE

No (test)data on the mixture available

Reason for revision: 3.2; 8.2.2 Publication date: 2010-07-09
Date of revision: 2014-11-26

Revision number: 0301 Product number: 49027 6 / 12

hydrocarbons, C9-10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

| Route of exposure | Parameter | Method | Value | Organ | Effect | Exposure time | Species | Value determination |
|-------------------------|-----------|---------------------------|-----------------------|-------|-----------|-----------------------------------|----------------------|------------------------|
| Oral | NOAEL | | >1000 mg/kg bw/day | | No effect | | Rat (male/female) | Read-across |
| Oral | | | >5000 mg/kg bw/day | | No effect | | Rat (male/female) | Read-across |
| Inhalation (vapours) | | Equivalent to OECD 413 | >2200 mg/m³ air | | | 14 weeks (6h/day, 5 days/week) | Rat (female) | Read-across |
| Inhalation (vapours) | | l ' | >10400 mg/m³ air | | | 13 weeks (6h/day, 5 days/week) | Rat (male/female) | Read-across |

Classification is based on the relevant ingredients

Conclusion

Low sub-chronic toxicity by the oral route

Low sub-chronic toxicity by inhalation route

May cause drowsiness or dizziness.

Mutagenicity (in vitro)

BIKE7 DEGREASE

No (test)data on the mixture available

hydrocarbons, C9-10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

| - | rocarbons, es 10, il amarics, is | Cantance, eyenes, 1270 arematics | | | |
|---|----------------------------------|----------------------------------|-------------------------------|--------|---------------------|
| | Result | Method | Test substrate | Effect | Value determination |
| | Negative | 1 | Mouse (lymphoma L5178Y cells) | | Read-across |
| | Negative | OECD 471 | Bacteria (S.typhimurium) | | Read-across |

Mutagenicity (in vivo)

BIKE7 DEGREASE

No (test)data on the mixture available

<u>hydrocarbons, C9-10, n-alkanes, isoalkanes, cyclics, < 2% aromatics</u>

| Result | Method | Exposure time | Test substrate | Organ | Value determination |
|--------|---------------------------|-----------------|---------------------|-------|---------------------|
| -0 | Equivalent to OECD 474 | | Mouse (male/female) | | Read-across |
| • | Equivalent to OECD 478 | 5 days (6h/day) | Rat (male/female) | | Read-across |

Carcinogenicity

BIKE7 DEGREASE

No (test)data on the mixture available

hydrocarbons, C9-10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

| | Parameter | Method | Value | Exposure time | - • | | Organ | Effect |
|------------|-----------|---------------|-----------------|--------------------|--------------|---------------|-------|-----------|
| exposure | | | | | | determination | | |
| Inhalation | NOAEC | Equivalent to | >2200 mg/m³ air | 105 weeks (6h/day, | Rat (female) | Read-across | | No effect |
| (vapours) | | OECD 453 | | 5 days/week) | | | | |

Reproductive toxicity

BIKE7 DEGREASE

No (test)data on the mixture available

hydrocarbons, C9-10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

| | Parameter | Method | Value | Exposure time | Species | Effect | - 0 | Value determination |
|----------------------|-----------|---------------------------|-----------------------|---------------|----------------------|-----------|-----|------------------------|
| Effects on fertility | I - | Equivalent to OECD 421 | >1000 mg/kg bw/day | | Rat (male/female) | No effect | | Read-across |

Judgement is based on the relevant ingredients

Conclusion CMR

Not classified for reprotoxic or developmental toxicity

Not classified for mutagenic or genotoxic toxicity

Not classified for carcinogenicity

Toxicity other effects

BIKE7 DEGREASE

No (test)data on the mixture available

Reason for revision: 3.2; 8.2.2 Publication date: 2010-07-09
Date of revision: 2014-11-26

Revision number: 0301 Product number: 49027 7 / 12

hydrocarbons, C9-10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

| Parameter | Method | Value | Organ | Effect | Exposure time | Value determination |
|-----------|--------|-------|-------|--------------------------|---------------|----------------------------|
| | | | | Skin dryness or cracking | | Literature study |

Classification is based on the relevant ingredients

Conclusion

Repeated exposure may cause skin dryness or cracking.

Chronic effects from short and long-term exposure

BIKE7 DEGREASE

No effects known.

SECTION 12: Ecological information

12.1 Toxicity:

BIKE7 DEGREASE

No (test)data on the mixture available

hydrocarbons, C9-10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

| lydrocarboris, C3-10, II-aikaries, is | | 1 | | | | | | |
|------------------------------------------|-----------|----------|-------------------|-----------|-------------------------------------|-----------------------|---------------------|-----------------------------|
| | Parameter | Method | Value | Duration | Species | Test design | Fresh/salt water | Value determination |
| Acute toxicity fishes | LC50 | OECD 203 | >10 - <30 mg/l | 96 h | Oncorhynchus mykiss | Semi-static system | Fresh water | Experimental value; GLP |
| Acute toxicity invertebrates | EC50 | | >22 - <46 mg/l | 48 h | Daphnia magna | Static system | Fresh water | Experimental value; GLP |
| Toxicity algae and other aquatic plants | EC50 | OECD 201 | > 1000 mg/l | 72 h | Pseudokirchnerie Ila subcapitata | Static system | Fresh water | Experimental value; GLP |
| | NOEL | OECD 201 | < 1 mg/l | 72 h | Pseudokirchnerie Ila subcapitata | Static system | Fresh water | Experimental value; GLP |
| Long-term toxicity fish | NOEL | | 0.182 mg/l | 28 day(s) | Oncorhynchus mykiss | | Fresh water | QSAR; Nominal concentration |
| Long-term toxicity aquatic invertebrates | NOEL | | 0.317 mg/l | 21 day(s) | Daphnia magna | | Fresh water | QSAR; Nominal concentration |

Classification is based on the relevant ingredients

Conclusion

Harmful to aquatic life with long lasting effects.

12.2 Persistence and degradability:

hydrocarbons, C9-10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Biodegradation water

| Method | Value | Duration | Value determination |
|-----------------------------------------|-------|-----------|---------------------|
| OECD 301F: Manometric Respirometry Test | 89 % | 28 day(s) | Experimental value |

Conclusion

Contains readily biodegradable component(s)

12.3 Bioaccumulative potential:

BIKE7 DEGREASE

Log Kow

| Method | Remark | Value | Temperature | Value determination |
|--------|--------------------------|-------|-------------|---------------------|
| | Not applicable (mixture) | | | |

hydrocarbons, C9-10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Log Kow

| Method | Remark | Value | Temperature | Value determination |
|--------|-------------------|-------|-------------|---------------------|
| | No data available | | | |

Conclusion

No straightforward conclusion can be drawn based upon the available numerical values

12.4 Mobility in soil:

No (test)data on mobility of the components available

12.5 Results of PBT and vPvB assessment:

Reason for revision: 3.2; 8.2.2 Publication date: 2010-07-09

Date of revision: 2014-11-26

Revision number: 0301 Product number: 49027 8 / 12

Does not contain component(s) that meet(s) the criteria of PBT and/or vPvB as listed in Annex XIII of Regulation (EC) No 1907/2006.

12.6 Other adverse effects:

BIKE7 DEGREASE

Global warming potential (GWP)

None of the known components is included in the list of fluorinated greenhouse gases (Regulation (EC) No 517/2014)

Ozone-depleting potential (ODP)

Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009)

SECTION 13: Disposal considerations

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

13.1 Waste treatment methods:

13.1.1 Provisions relating to waste

Waste material code (Directive 2008/98/EC, Decision 2000/0532/EC).

14 06 03* (waste organic solvents, refrigerants and foam/aerosol propellants: other solvents and solvent mixtures). Depending on branch of industry and production process, also other waste codes may be applicable. Hazardous waste according to Directive 2008/98/EC.

13.1.2 Disposal methods

Remove waste in accordance with local and/or national regulations. Specific treatment. Hazardous waste shall not be mixed together with other waste. Different types of hazardous waste shall not be mixed together if this may entail a risk of pollution or create problems for the further management of the waste. Hazardous waste shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution or damage to people or animals. Use appropriate containment to avoid environmental contamination.

13.1.3 Packaging/Container

14.5 Environmental hazards:

Waste material code packaging (Directive 2008/98/EC).

15 01 10* (packaging containing residues of or contaminated by dangerous substances).

SECTION 14: Transport information

| oad (ADR) | | | | | |
|------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--|
| 14.1 UN number: | | | | | |
| UN number | 1950 | | | | |
| 14.2 UN proper shipping name: | | | | | |
| Proper shipping name | Aerosols | | | | |
| 14.3 Transport hazard class(es): | | | | | |
| Hazard identification number | | | | | |
| Class | 2 | | | | |
| Classification code | 5F | | | | |
| 14.4 Packing group: | | | | | |
| Packing group | | | | | |
| Labels | 2.1 | | | | |
| 14.5 Environmental hazards: | · | | | | |
| Environmentally hazardous substance mark | no | | | | |
| 6 Special precautions for user: | | | | | |
| Special provisions | 190 | | | | |
| Special provisions | 327 | | | | |
| Special provisions | 344 | | | | |
| Special provisions | 625 | | | | |
| Limited quantities | Combination packagings: not more than 1 liter per inner packaging fo liquids. A package shall not weigh more than 30 kg. (gross mass) | | | | |
| ail (RID) | | | | | |
| 14.1 UN number: | | | | | |
| UN number | 1950 | | | | |
| 14.2 UN proper shipping name: | | | | | |
| Proper shipping name | Aerosols | | | | |
| 14.3 Transport hazard class(es): | | | | | |
| Hazard identification number | 23 | | | | |
| Class | 2 | | | | |
| Classification code | 5F | | | | |
| 14.4 Packing group: | | | | | |
| Packing group | | | | | |
| Labels | 2.1 | | | | |

Reason for revision: 3.2; 8.2.2 Publication date: 2010-07-09
Date of revision: 2014-11-26

Revision number: 0301 Product number: 49027 9 / 12

| Environmentally hazardous substance mark | no |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 4.6 Special precautions for user: Special provisions | 190 |
| | 327 |
| Special provisions | |
| Special provisions | 344 |
| Special provisions | 625 |
| Limited quantities | Combination packagings: not more than 1 liter per inner packaging for liquids. A package shall not weigh more than 30 kg. (gross mass) |
| nd waterways (ADN) | |
| 4.1 UN number: | |
| UN number | 1950 |
| 4.2 UN proper shipping name: | |
| Proper shipping name | Aerosols |
| 4.3 Transport hazard class(es): | |
| Class | 2 |
| Classification code | 5F |
| 4.4 Packing group: | |
| Packing group | |
| Labels | 2.1 |
| 4.5 Environmental hazards: | 1 |
| Environmentally hazardous substance mark | no |
| 4.6 Special precautions for user: | |
| Special provisions | 190 |
| Special provisions | 327 |
| Special provisions | 344 |
| Special provisions | 625 |
| Limited quantities | Combination packagings: not more than 1 liter per inner packaging fo liquids. A package shall not weigh more than 30 kg. (gross mass) |
| (IMDG/IMSBC) 4.1 UN number: UN number | 1950 |
| 4.1 UN number: UN number 4.2 UN proper shipping name: | |
| 4.1 UN number: UN number | 1950 Aerosols |
| 4.1 UN number: UN number 4.2 UN proper shipping name: Proper shipping name | |
| 4.1 UN number: UN number 4.2 UN proper shipping name: Proper shipping name 4.3 Transport hazard class(es): | Aerosols |
| 4.1 UN number: UN number 4.2 UN proper shipping name: Proper shipping name 4.3 Transport hazard class(es): Class | Aerosols |
| 4.1 UN number: UN number 4.2 UN proper shipping name: Proper shipping name 4.3 Transport hazard class(es): Class 4.4 Packing group: | Aerosols |
| 4.1 UN number: UN number 4.2 UN proper shipping name: Proper shipping name 4.3 Transport hazard class(es): Class 4.4 Packing group: Packing group | Aerosols 2.1 |
| 4.1 UN number: UN number 4.2 UN proper shipping name: Proper shipping name 4.3 Transport hazard class(es): Class 4.4 Packing group: Packing group Labels | Aerosols 2.1 |
| 4.1 UN number: UN number 4.2 UN proper shipping name: Proper shipping name 4.3 Transport hazard class(es): Class 4.4 Packing group: Packing group Labels 4.5 Environmental hazards: | Aerosols 2.1 |
| 4.1 UN number: UN number 4.2 UN proper shipping name: Proper shipping name 4.3 Transport hazard class(es): Class 4.4 Packing group: Packing group Labels 4.5 Environmental hazards: Marine pollutant Environmentally hazardous substance mark 4.6 Special precautions for user: | Aerosols |
| 4.1 UN number: UN number 4.2 UN proper shipping name: Proper shipping name 4.3 Transport hazard class(es): Class 4.4 Packing group: Packing group Labels 4.5 Environmental hazards: Marine pollutant Environmentally hazardous substance mark 4.6 Special precautions for user: Special provisions | Aerosols |
| 4.1 UN number: UN number 4.2 UN proper shipping name: Proper shipping name 4.3 Transport hazard class(es): Class 4.4 Packing group: Packing group Labels 4.5 Environmental hazards: Marine pollutant Environmentally hazardous substance mark 4.6 Special previsions Special provisions Special provisions | Aerosols |
| 4.1 UN number: UN number 4.2 UN proper shipping name: Proper shipping name 4.3 Transport hazard class(es): Class 4.4 Packing group: Packing group Labels 4.5 Environmental hazards: Marine pollutant Environmentally hazardous substance mark 4.6 Special precautions for user: Special provisions Special provisions Special provisions | Aerosols |
| 4.1 UN number: UN number 4.2 UN proper shipping name: Proper shipping name 4.3 Transport hazard class(es): Class 4.4 Packing group: Packing group Labels 4.5 Environmental hazards: Marine pollutant Environmentally hazardous substance mark 4.6 Special precautions for user: Special provisions Special provisions Special provisions Special provisions Special provisions | Aerosols 2.1 2.1 |
| 4.1 UN number: UN number 4.2 UN proper shipping name: Proper shipping name 4.3 Transport hazard class(es): Class 4.4 Packing group: Packing group Labels 4.5 Environmental hazards: Marine pollutant Environmentally hazardous substance mark 4.6 Special precautions for user: Special provisions | Aerosols 2.1 |
| 4.1 UN number: UN number 4.2 UN proper shipping name: Proper shipping name 4.3 Transport hazard class(es): Class 4.4 Packing group: Packing group Labels 4.5 Environmental hazards: Marine pollutant Environmentally hazardous substance mark 4.6 Special precautions for user: Special provisions | Aerosols 2.1 |
| 4.1 UN number: UN number 4.2 UN proper shipping name: Proper shipping name 4.3 Transport hazard class(es): Class 4.4 Packing group: Packing group Labels 4.5 Environmental hazards: Marine pollutant Environmentally hazardous substance mark 4.6 Special precautions for user: Special provisions | Aerosols |
| 4.1 UN number: UN number 4.2 UN proper shipping name: Proper shipping name 4.3 Transport hazard class(es): Class 4.4 Packing group: Packing group Labels 4.5 Environmental hazards: Marine pollutant Environmentally hazardous substance mark 4.6 Special precautions for user: Special provisions | Aerosols 2.1 2.1 |
| 4.1 UN number: UN number 4.2 UN proper shipping name: Proper shipping name 4.3 Transport hazard class(es): Class 4.4 Packing group: Packing group Labels 4.5 Environmental hazards: Marine pollutant Environmentally hazardous substance mark 4.6 Special precautions for user: Special provisions Limited quantities | Aerosols 2.1 2.1 |
| 4.1 UN number: UN number 4.2 UN proper shipping name: Proper shipping name 4.3 Transport hazard class(es): Class 4.4 Packing group: Packing group Labels 4.5 Environmental hazards: Marine pollutant Environmentally hazardous substance mark 4.6 Special precautions for user: Special provisions Limited quantities 4.7 Transport in bulk according to Annex II of MARPOL 73/ Annex II of MARPOL 73/78 | Aerosols 2.1 - no - no 63 190 277 327 327 344 959 Combination packagings: not more than 1 liter per inner packaging fo liquids. A package shall not weigh more than 30 kg. (gross mass) 78 and the IBC Code: |
| 4.1 UN number: UN number 4.2 UN proper shipping name: Proper shipping name 4.3 Transport hazard class(es): Class 4.4 Packing group: Packing group Labels 4.5 Environmental hazards: Marine pollutant Environmentally hazardous substance mark 4.6 Special precautions for user: Special provisions Limited quantities 4.7 Transport in bulk according to Annex II of MARPOL 73/ Annex II of MARPOL 73/78 | Aerosols 2.1 - no - no 63 190 277 327 327 344 959 Combination packagings: not more than 1 liter per inner packaging fo liquids. A package shall not weigh more than 30 kg. (gross mass) 78 and the IBC Code: |
| 4.1 UN number: UN number 4.2 UN proper shipping name: Proper shipping name 4.3 Transport hazard class(es): Class 4.4 Packing group: Packing group Labels 4.5 Environmental hazards: Marine pollutant Environmentally hazardous substance mark 4.6 Special precautions for user: Special provisions | Aerosols 2.1 |
| 4.1 UN number: UN number 4.2 UN proper shipping name: Proper shipping name 4.3 Transport hazard class(es): Class 4.4 Packing group: Packing group Labels 4.5 Environmental hazards: Marine pollutant Environmentally hazardous substance mark 4.6 Special precautions for user: Special provisions S | Aerosols 2.1 - no - no 63 190 277 327 327 344 959 Combination packagings: not more than 1 liter per inner packaging fo liquids. A package shall not weigh more than 30 kg. (gross mass) 78 and the IBC Code: |
| 4.1 UN number: UN number 4.2 UN proper shipping name: Proper shipping name 4.3 Transport hazard class(es): Class 4.4 Packing group: Packing group Labels 4.5 Environmental hazards: Marine pollutant Environmentally hazardous substance mark 4.6 Special precautions for user: Special provisions Limited quantities 4.7 Transport in bulk according to Annex II of MARPOL 73/7 Annex II of MARPOL 73/78 ICAO-TI/IATA-DGR) 4.1 UN number: UN number 4.2 UN proper shipping name: | Aerosols 2.1 |
| 4.1 UN number: UN number 4.2 UN proper shipping name: Proper shipping name 4.3 Transport hazard class(es): Class 4.4 Packing group: Packing group Labels 4.5 Environmental hazards: Marine pollutant Environmentally hazardous substance mark 4.6 Special precautions for user: Special provisions Imited quantities 4.7 Transport in bulk according to Annex II of MARPOL 73/ Annex II of MARPOL 73/78 ICAO-TI/IATA-DGR) 4.1 UN number: UN number 4.2 UN proper shipping name: Proper shipping name | Aerosols 2.1 |
| 4.1 UN number: UN number 4.2 UN proper shipping name: Proper shipping name 4.3 Transport hazard class(es): Class 4.4 Packing group: Packing group Labels 4.5 Environmental hazards: Marine pollutant Environmentally hazardous substance mark 4.6 Special precautions for user: Special provisions Limited quantities 4.7 Transport in bulk according to Annex II of MARPOL 73/7 Annex II of MARPOL 73/78 ICAO-TI/IATA-DGR) 4.1 UN number: UN number 4.2 UN proper shipping name: | Aerosols 2.1 |

Reason for revision: 3.2; 8.2.2 Publication date: 2010-07-09
Date of revision: 2014-11-26

 Revision number: 0301
 Product number: 49027
 10 / 12

| Packing group | |
|---------------------------------------------------------------------------------------|---------|
| Labels | 2.1 |
| 14.5 Environmental hazards: | |
| Environmentally hazardous substance mark | no |
| 14.6 Special precautions for user: | |
| Special provisions | A145 |
| Special provisions | A167 |
| Special provisions | A802 |
| Passenger and cargo transport: limited quantities: maximum net quantity per packaging | 30 kg G |

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

European legislation:

VOC content Directive 2010/75/EU

| VOC content | Remark |
|-------------|--------|
| 100 % | |
| 710 g/l | |

Ingredients according to Regulation (EC) No 648/2004 and amendments

≥30% aliphatic hydrocarbons

REACH Annex XVII - Restriction

Contains component(s) subject to restrictions of Annex XVII of Regulation (EC) No 1907/2006: restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles.

Reference legislation

See column 1: 40.

National legislation The Netherlands

BIKE7 DEGREASE

| Waste identification (the Netherlands) | LWCA (the Netherlands): KGA category 06 |
|----------------------------------------|-----------------------------------------|
| Waterbezwaarlijkheid | 8 |

National legislation Germany

BIKE7 DEGREASE

| WGK | 2; Classification water polluting based on the components in compliance with Verwaltungsvorschrift wassergefährdender |
|-----|-----------------------------------------------------------------------------------------------------------------------|
| | Stoffe (VwVwS) of 27 July 2005 (Anhang 4) |

National legislation France

BIKE7 DEGREASE

No data available

National legislation Belgium

BIKE7 DEGREASE

No data available

Other relevant data

BIKE7 DEGREASE

No data available

15.2 Chemical safety assessment:

No chemical safety assessment is required.

SECTION 16: Other information

Labelling according to Directive 67/548/EEC-1999/45/EC (DSD/DPD)

Labels



Extremely flammable

R-phrases

Reason for revision: 3.2; 8.2.2 Publication date: 2010-07-09

Date of revision: 2014-11-26

Revision number: 0301 Product number: 49027 11 / 12

| 12 | Extremely flammable |
|-----------|----------------------------------------------------------------------------------------------|
| 52/53 | Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment |
| 66 | Repeated exposure may cause skin dryness or cracking |
| 67 | Vapours may cause drowsiness and dizziness |
| S-phrases | |
| 02 | Keep out of the reach of children |
| 16 | Keep away from sources of ignition - No smoking |
| 23 | Do not breathe spray |
| (46) | (If swallowed, seek medical advice immediately and show this container or label) |
| 51 | Use only in well-ventilated areas |
| 61 | Avoid release to the environment. Refer to special instructions/safety data sheets. |
| | |

Additional recommendations

Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C.

Do not pierce or burn, even after use.

Do not spray on a naked flame or any incandescent material.

Full text of any R-phrases referred to under headings 2 and 3:

- R10 Flammable
- R12 Extremely flammable
- R52 Harmful to aquatic organisms
- R53 May cause long-term adverse effects in the aquatic environment
- R65 Harmful: may cause lung damage if swallowed
- R66 Repeated exposure may cause skin dryness or cracking
- R67 Vapours may cause drowsiness and dizziness

Full text of any H-statements referred to under headings 2 and 3:

- H220 Extremely flammable gas.
- H222 Extremely flammable aerosol.
- H226 Flammable liquid and vapour.
- H229 Pressurised container: May burst if heated.
- H280 Contains gas under pressure; may explode if heated.
- H304 May be fatal if swallowed and enters airways.
- H336 May cause drowsiness or dizziness.
- H412 Harmful to aquatic life with long lasting effects.
- (*) = INTERNAL CLASSIFICATION BY BIG

PBT-substances = persistent, bioaccumulative and toxic substances

DSD Dangerous Substance Directive
DPD Dangerous Preparation Directive

CLP (EU-GHS) Classification, labelling and packaging (Globally Harmonised System in Europe)

The information in this safety data sheet is based on data and samples provided to BIG. The sheet was written to the best of our ability and according to the state of knowledge at that time. The safety data sheet only constitutes a guideline for the safe handling, use, consumption, storage, transport and disposal of the substances/preparations/mixtures mentioned under point 1. New safety data sheets are written from time to time. Only the most recent versions may be used. Old versions must be destroyed. Unless indicated otherwise word for word on the safety data sheet, the information does not apply to substances/preparations/mixtures in purer form, mixed with other substances or in processes. The safety data sheet offers no quality specification for the substances/preparations/mixtures in question. Compliance with the instructions in this safety data sheet does not release the user from the obligation to take all measures dictated by common sense, regulations and recommendations or which are necessary and/or useful based on the real applicable circumstances. BIG does not guarantee the accuracy or exhaustiveness of the information provided and cannot be held liable for any changes by third parties. This safety data sheet is only to be used within the European Union, Switzerland, Iceland, Norway and Liechtenstein. Any use outside of this area is at your own risk. Use of this safety data sheet is subject to the licence and liability limiting conditions as stated in your BIG licence agreement or when this is failing the general conditions of BIG. All intellectual property rights to this sheet are the property of BIG and its distribution and reproduction are limited. Consult the mentioned agreement/conditions for details.

Reason for revision: 3.2; 8.2.2 Publication date: 2010-07-09
Date of revision: 2014-11-26

Revision number: 0301 Product number: 49027 12 / 12